

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/699,210	10/31/2003	Jemmy Sutanto Bintoro	GTRC132	2791
	7590 12/28/2007 SANDERS LLP		EXAMINER	
	E STREET, NE		ROJAS, BERNARD	
ATLANTA, GA 30308			ART UNIT	PAPER NUMBER
			2832	
			MAIL DATE	DELIVERY MODE
			12/28/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		TH
$(e^{-\epsilon}e^{-\epsilon}) = e^{-\epsilon}$	Application No.	Applicant(s)
	10/699,210	BINTORO ET AL.
Office Action Summary	Examiner	Art Unit
	Bernard Rojas	2832
The MAILING DATE of this communication Period for Reply	appears on the cover sheet w	ith the correspondence address
A SHORTENED STATUTORY PERIOD FOR RE WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFF after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period for reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the meanned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNI R 1.136(a). In no event, however, may a riod will apply and will expire SIX (6) MOI atute, cause the application to become A	CATION. reply be timely filed NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on <u>0</u> This action is FINAL . 2b) ☑ T Since this application is in condition for allo closed in accordance with the practice under	This action is non-final. wance except for formal mat	•
Disposition of Claims		
4) ⊠ Claim(s) 1-17 and 21 is/are pending in the a 4a) Of the above claim(s) is/are without 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-17 and 21 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and	drawn from consideration.	
Application Papers		
9) The specification is objected to by the Exam 10) The drawing(s) filed on is/are: a) a Applicant may not request that any objection to Replacement drawing sheet(s) including the cor 11) The oath or declaration is objected to by the	accepted or b) objected to the drawing(s) be held in abeya rection is required if the drawing	nce. See 37 CFR 1.85(a). g(s) is objected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for fore a) All b) Some * c) None of: 1. Certified copies of the priority docum 2. Certified copies of the priority docum 3. Copies of the certified copies of the papplication from the International But * See the attached detailed Office action for a	ents have been received. Tents have been received in Appropriate documents have been reau (PCT Rule 17.2(a)).	Application No n received in this National Stage
Attachment(s) 1) D Notice of References Cited (PTO-892)		Summary (PTO-413)
Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper No	(s)/Mail Date Informal Patent Application

DETAILED ACTION

Response to Arguments

Applicant's arguments filed 10/04/2007 have been fully considered but they are not persuasive.

First, the Applicant states that Albarada et al fails to teach placing a microvalve in an integrated circuit, and that Vaitkus et al. concerns an inapposite field of an electrical microswitch wherein the Applicant's claimed device is in the field of a microvalve locatable in a fluid flow path.

In response to applicant's argument that Vaitkus et al. is nonanalogous art and fails to remedy the deficiency of Albarada et al., it has been held that a prior art reference must either be in the field of applicant's endeavor or, if not, then be reasonably pertinent to the particular problem with which the applicant was concerned, in order to be relied upon as a basis for rejection of the claimed invention. See *In re Oetiker*, 977 F.2d 1443, 24 USPQ2d 1443 (Fed. Cir. 1992). In this case, Albarada et al. is discloses a microvalve (electrical device) locatable in a flow path while Vaitkus et al. is used to show that electrical devices can be on the same substrate as an integrated circuit as acknowledged by Applicant [remarks 03/01/2007, page 6 last paragraph]. The combination of the two references yields an actuator locatable in a flow path that is located on the same substrate as an integrated circuit.

Second, the Applicant states Albarada et al. fails to teach an actuator locatable in a fluid flow path having a membrane capable of maintaining at least three positions.

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., the membrane is capable of maintaining at least three positions) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993). Claims 1, 12 and 21, merely states that "the membrane is capable of moving through a first position, a second position and an intermediate position". This does not require the membrane to be stable in all three positions, but only to pass through them. As Albarada et al. is switch on and off, it passes through an intermediate position with allows partial fluid flow.

Third, the Applicant states Biegelsen et al. fails to teach an actuator locatable in a fluid flow path having a membrane capable of maintaining at least three positions. In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., the membrane is capable of maintaining at least three positions) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993). Claims 1, 12 and 21, merely states that "the membrane is capable of moving through a first position, a second position and an intermediate position". This does not require the membrane to be stable in all three positions, but only to pass through them. As Biegelsen et al. is switch on and off, it passes through an intermediate position with allows partial fluid flow

Fourth, Applicant states that the Prior Art of record fails to teach that the

microvalve is CMOS compatible.

In response to applicant's argument that the references fail to show certain

features of applicant's invention, it is noted that the features upon which applicant relies

(i.e., a specific structure or claim language to define the microvavle as being CMOS

compatible) are not recited in the rejected claim(s). Although the claims are interpreted

in light of the specification, limitations from the specification are not read into the claims.

See In re Van Geuns, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Claim Rejections - 35 USC § 103

This application currently names joint inventors. In considering patentability of

the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of

the various claims was commonly owned at the time any inventions covered therein

were made absent any evidence to the contrary. Applicant is advised of the obligation

under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was

not commonly owned at the time a later invention was made in order for the examiner to

consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g)

prior art under 35 U.S.C. 103(a).

. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Albarda et al. [US 5,029,805] in view of Vaitkus et al. [US 2006/0044088].

Albarda et al. disclose a valve arrangement [figure 2] comprising: a single substrate [1] upon which is fabricated a membrane [3] and a membrane activating member [11, 12] wherein the membrane is *capable of* moving between a first position, a second position and an intermediate position, in the first position, the membrane inhibiting fluid flow through the fluid flow path and a second position, the membrane enabling fluid flow through the fluid flow path, in the intermediate position, the membrane enabling partial fluid flow through the fluid flow path [as Albarada et al. is switch on and off, it passes through an intermediate position with allows partial fluid flow]; and the membrane activating mechanism being *capable of* moving the membrane between the first position, the second position, and an intermediate position [figure 2, column 5, lines 28-51]. It has been held that the recitation that the element is "capable of" performing a function is not a positive limitation but only requires the ability to so perform. It does not constitute a limitation in any patentable sense. *In re Hutchinson*, 69 USPQ 1338.

Albarda et al. fails to teach that there is an integrated circuit on the substrate.

Vaitkus et al. discloses that a mem switch can be integrated on the same substrate with other electrical devices [figure 12, paragraph 66].

It would have been obvious to one of ordinary skill in the art at the time the invention was made to integrate the mem switch of Albarda et al. on the same substrate

with other electrical devices in order to reduce the size of the overall apparatus [paragraph 66]

Claims 1-7 and 10-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Biegelsen et al., figure 11 [US 6,123,316] in view of Albarda et al. [US 5,029,805] and further in view of Vaitkus et al. [US 2006/0044088].

Claims 1-2, 12 and 14, Biegelsen et al., figure 11, discloses an actuator for a microvalve [figure 11] comprising: a substrate assembly [202, 214] upon which is fabricated a membrane [242] and an electromagnetic membrane activating member [216] wherein the is capable of moving between a first position, a second position and an intermediate position, in the first position, the membrane inhibiting fluid flow through the fluid flow path and a second position, the membrane enabling fluid flow through the fluid flow path, in the intermediate position, the membrane enabling partial fluid flow through the fluid flow path [as Biegelsen et al. is switch on and off, it passes through an intermediate position with allows partial fluid flow]; and the membrane activating mechanism being capable of moving the membrane between the first position, the second position, and an intermediate position positions [figure 11, column 12, line 56column 13, line 11]. It has been held that the recitation that the element is "capable of" performing a function is not a positive limitation but only requires the ability to so perform. It does not constitute a limitation in any patentable sense. In re Hutchinson, 69 USPQ 1338.

Biegelsen et al., figure 11, disclose everything claimed except the substrate assembly being formed of a single substrate [1].

Application/Control Number: 10/699,210

Art Unit: 2832

Albarda et al. discloses a microvalve formed from a single substrate.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use a single substrate to form the substrate assembly of Biegelsen et al., figure 11, in order to simplify fabrication.

Biegelsen et al. in view of Albarda et al. fails to teach that there is an integrated circuit on the substrate.

Vaitkus et al. discloses that a mem switch can be integrated on the same substrate with other electrical devices [figure 12, paragraph 66].

It would have been obvious to one of ordinary skill in the art at the time the invention was made to integrate the mem switch of Biegelsen et al., as modified, on the same substrate with other electrical devices in order to reduce the size of the overall apparatus [paragraph 66]

Claim 3, Biegelsen et al., figure 11, discloses the substrate assembly including an orifice [226].

Claims 4-7, Biegelsen et al., figure 11, discloses the use of a convex bistable membrane [figure 11, column 12, line 56-column 13, line 11].

Claims 10-11, the specific energy applied to the actuator and the time to full activation would have been obvious design considerations based on the necessary operating times and working environment.

Claim 13, the specific process used to form the substrate would have been obvious to one of ordinary skill in the art at the time the invention was made based on the specific environment of intended use.

Claims 8-9, 14-17 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Biegelsen et al., figure 11, as applied to claims 1 and 12 above, and further in view of Biegelsen et al., figure 12 and Roshen et al. [US 5,475,353].

Biegelsen et al., figure 11, disclose everything claimed except the membrane being located between a permanent magnet and the electromagnetic force generator.

Biegelsen et al., figure 12, discloses placing the membrane between a permalloy poled region [215, column 13, lines 12-42] and the electromagnetic actuator.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the poled region of Biegelsen et al., figure 12, in Biegelsen et al., figure 11, for the purpose of controlling response time.

Roshen et al. disclose the use of at least one permanent magnet [28] with electromagnetic microactuators [18] arranged to provide latching without induced force [abstract].

It would have been obvious to one of ordinary skill in the art at the time the invention was made to use permanent magnets for the poled magnetic region of Biegelsen et al., as modified, for the purpose of maintaining bistable operation.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bernard Rojas whose telephone number is (571) 272-1998. The examiner can normally be reached on M and W-F, 5:30-3:00.

Application/Control Number: 10/699,210

Art Unit: 2832

Page 9

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Elvin G. Enad can be reached on (571) 272-1990. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

B-1P2

ELVIN ENAD EXAMINER

SUPERVISORI 12/26/17